



## Stopping Smoking - Ball Tree Surgery Patient Advice

**Stop Smoking Clinics** are available here. You can refer yourself to one if you are keen to stop smoking but are finding it difficult. Research shows that regular support from a Stop Smoke Nurse can increase your chances of giving up smoking for good. Call us **after 11am** to request an appointment.

**Write a list of the reasons why you want to stop**, and keep them with you. Refer to them when tempted to light up. You may wish to search online for a separate leaflet, called '*Smoking - The Facts*'. This gives the reasons why smoking is so harmful and lists the benefits of stopping.

**Set a date for stopping**, and stop completely. Some people prefer the idea of cutting down gradually, however, research has shown that if you smoke fewer cigarettes than usual, you are likely to smoke more of each cigarette, and nicotine levels remain nearly the same. This shows that it is usually best to stop from a set date.

**Tell everyone that you are giving up smoking.** Friends and family often give support and may help you. Smoking by others in the household makes giving up harder. If appropriate, try to get other household members who smoke, or friends who smoke, to stop smoking at the same time. A team effort may be easier than going it alone.

**Get rid of ashtrays, lighters, and all cigarettes.**

**Be prepared for some withdrawal symptoms.** When you stop smoking, you are likely to get symptoms which may include: nausea (feeling sick), headaches, anxiety, irritability, craving, and just feeling awful. These symptoms are caused by the lack of nicotine that your body has been used to. They tend to peak after 12-24 hours, and then gradually ease over 2-4 weeks.

**Anticipate a cough.** It is normal for a smoker's cough to get worse when you stop smoking (as the airways "come back to life"). Many people say that this makes them feel worse for a while after stopping smoking and makes them tempted to restart smoking. Resist this temptation! The cough usually gradually eases.

**Be aware of situations** in which you are most likely to want to smoke. In particular, drinking alcohol is often associated with failing in an attempt to stop smoking. You should consider not drinking much alcohol in the first few weeks after stopping smoking. Try changing your routine for the first few weeks. For example, don't go to the pub for a while if that is a tempting place to smoke and drink alcohol. Also, if drinking tea and coffee are difficult times, try drinking mainly fruit juice and plenty of water instead.

**Take one day at a time.** Mark off each successful day on a calendar. Look at it when you feel tempted to smoke, and tell yourself that you don't want to start all over again.

**Be positive.** You can tell people that you don't smoke. You will smell better. After a few weeks you should feel better, taste your food more, and cough less. You will have more money. Perhaps put away the money, which you would have spent on cigarettes, for treats.

**Food.** Some people worry about gaining weight when they give up smoking, as the appetite may improve. Anticipate an increase in appetite, and try not to increase fatty or sugary foods as snacks. Try sugar-free gum and fruit instead.

**Don't despair if you fail.** Examine the reasons why you felt it was more difficult at that particular time. It will make you stronger next time. On average, people who eventually stop smoking have made 3 or 4 previous attempts.



**Various medicines** can increase your chance of quitting. These include nicotine replacement therapy (NRT) which comes as gums, sprays, patches, tablets, lozenges, and inhalers. You can buy NRT without a prescription. Also, medicines called bupropion (trade name 'Zyban ®') and varenicline (trade name 'Champix ®') can help. These are available on prescription.

Search online or see separate leaflets in the Surgery called '*Smoking - Nicotine Replacement Therapy*', '*Smoking - Helping to Stop with Bupropion*' and '*Smoking - Helping to Stop with Varenicline*'

### **Further help and information**



#### **Information from the NHS**

Free smoking helpline 0800 022 4 332

Web: [www.smokefree.nhs.uk](http://www.smokefree.nhs.uk)

Ball Tree Surgery: **01903 752200** Western Road North, Sompting, BN15 9UX  
Kingfisher Branch: **01903 768348** 21 Culver Road, Lancing, BN15 9AX  
Clinical Correspondence to go to Ball Tree Surgery Main Site

Dr Shona Schofield  
Dr Sunil Emmanuel  
Dr Shuaib Chowdhury

Dr Anja Goossens  
Dr Christine Gnanaratnam  
Dr Gareth Chapman

Dr Melanie Davies  
Dr Josh Ellwood  
Dr Ginny Ponsford

Ball Tree Fax: 01903 768317  
Kingfisher Fax: 01903 851339

Dr Rebecca Williams  
Dr Justine Younson